

# CERTIFICATE OF CONFORMITY



## Ready-Mixed Concrete Certification

This certificate is issued to

### G-Cast Concrete Sdn Bhd

A1-3a, Pusat Perdagangan Kuchai, No. 2 Jalan 1/27,  
Off Jalan Kuchai Lama, 58200, Kuala Lumpur, Malaysia

### Batching Plant Address

Lot 647 Jalan Kulai Kota Tinggi, Mukim Ulu Sungai Johor  
Kota Tinggi, Malaysia (Kulai Plant)

For the product certification of Ready-Mixed Concrete  
(see Appendix for concrete product / family details)

which has complied with the requirements of the scheme and based on the following:

SS EN 206:2014  
SS 544 Part 1:2019+A1:2021  
SS 544 Part 2:2019+A1:2021  
SAC CT 06:2019

Product conformity certificates are awarded on the basis of an assessment of conformity control system and process control covering contract review, product design, production facilities, quality control system and testing of the product, all coupled with assessment of the supporting quality management system.

Element Construction Testing (S) Pte Ltd is accredited by Singapore Accreditation Council (SAC) for certification in respect of Product Certification Systems (ISO/IEC 17065:2012 and SAC CT 05:2019).

This certificate will remain valid subject to continued compliance with the above standard as confirmed by routine surveillance. Continued compliance is contingent on any change to test methods and/or production requirements or plant modifications being non-material with effect to declared characteristics. The use of certificate is subjected to the terms and conditions of the Ready-Mixed Scheme. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested.



Sherly Wijaya  
Head of Certification

For and on behalf of Element Construction Testing (S) Pte Ltd  
Issuing Office: 58 Sungei Kadut Loop Singapore 729501  
Registered Office: 58 Sungei Kadut Loop Singapore 729501  
UEN 200805959C

**Certificate number:**  
**ECT/RMC/0163**

Issue number: 01

Date of original issue:  
14 November 2016

Date of last revision:  
08 November 2025

Expiry date:  
07 November 2028

Page 1 of 3

This certificate remains the property of Element Construction Testing (S) Pte Ltd.

This certificate and all copies or reproductions of the certificate shall be returned to Element Construction Testing (S) Pte Ltd or destroyed if requested.

Further clarification regarding the scope of this certificate and verification of the certificate is available through Element Construction Testing (S) Pte Ltd or at the above address or at  
<https://www.element.com/certification/construction-industry-certification/>

The use of the SAC accreditation mark indicates accreditation in respect of those activities covered by the accreditation number PD-2010-07. This Certificate is part of a full report and should be read in conjunction with it.

For further information on Element Construction Testing (S) Pte Ltd activities covered by SAC accreditation can be accessed at: <https://www.sac-accreditation.gov.sg/accredited-org/certified-cab-companies>

Certificate number:  
**ECT/RMC/0163**  
Issue number: 01



Date of issue:  
08 November 2025

Page 2 of 3

# Appendix

## G-Cast Concrete Sdn Bhd

A1-3a, Pusat Perdagangan Kuchai, No. 2 Jalan 1/27,  
Off Jalan Kuchai Lama, 58200, Kuala Lumpur, Malaysia

### Batching Plant Address

Lot 647 Jalan Kulai Kota Tinggi, Mukim Ulu Sungai Johor  
Kota Tinggi, Malaysia (Kulai Plant)

Table 1: Details of Individual Concrete Products

Cement: CEM I; 52.5N  
Aggregate: Granite, Dmax20;  
Admixture: Advacast 3765M

SN	Concrete Code	Strength Class	DC Class	Max W/C	Min Cement Content	Chloride Content Class	Consistence Class
1	G40	C32/40	DC-4z	0.45	360	Cl 0.10	165±25
2	G50	C40/50	DC-4z	0.45	360	Cl 0.10	165±25
3	G60	C50/60	DC-4z	0.45	360	Cl 0.10	175±25

Table 2: Details of Individual Concrete Products

Cement: CEM II/B-V - PFA (25%)  
Aggregate: Granite, Dmax20;  
Admixture: Advacast 3765M

SN	Concrete Code	Strength Class	DC Class	Max W/C	Min Cement Content	Chloride Content Class	Consistence Class
1	G40PFA25	C32/40	DC-4z	0.45	360	Cl 0.10	165±25
2	G50PFA25	C40/50	DC-4z	0.45	360	Cl 0.10	165±25
3	G60PFA25	C50/60	DC-4z	0.45	360	Cl 0.10	175±25

  
Sherly Wijaya  
Head of Certification

For and on behalf of Element Construction Testing (S) Pte Ltd  
Issuing Office: 58 Sungei Kadut Loop Singapore 729501  
Registered Office: 58 Sungei Kadut Loop Singapore 729501  
UEN 200805959C

Certificate number:  
ECT/RMC/0163  
Issue number: 01



Date of issue:  
08 November 2025

Page 3 of 3

## Appendix

### G-Cast Concrete Sdn Bhd

A1-3a, Pusat Perdagangan Kuchai, No. 2 Jalan 1/27,  
Off Jalan Kuchai Lama, 58200, Kuala Lumpur, Malaysia

### Batching Plant Address

Lot 647 Jalan Kulai Kota Tinggi, Mukim Ulu Sungai Johor  
Kota Tinggi, Malaysia (Kulai Plant)

Table 3: Details of Individual Concrete Products

Cement: CEM II/B-V - PFA  
Aggregate: Granite, Dmax20;  
Admixture: AdvanCast 3765M

SN	Concrete Code	Strength Class	DC Class	Max W/C	Min Cement Content	Chloride Content Class	Consistence Class
1	G40 PFA BA	C32/40	DC-4z	0.45	360	Cl 0.10	150±25
2	G50 PFA BA	C40/50	DC-4z	0.45	400	Cl 0.10	150±25
3	G60 PFA BA	C50/60	DC-4z	0.45	460	Cl 0.10	160±25

Sherly Wijaya  
Head of Certification

For and on behalf of Element Construction Testing (S) Pte Ltd  
Issuing Office: 58 Sungei Kadut Loop Singapore 729501  
Registered Office: 58 Sungei Kadut Loop Singapore 729501  
UEN 200805959C