



## SIRIM QAS INTERNATIONAL SDN. BHD.

((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-013712  
Licence No : PC004976

Date : 12/02/2026

G-CAST CONCRETE SDN. BHD.  
LOT 647, JALAN KULAI KOTA TINGGI  
MUKIM ULU SUNGAI JOHOR  
81900 KOTA TINGGI  
JOHOR, MALAYSIA

Attn : MUHAMMAD RAQQIB BIN ZULKIFLI

Tel No : 013-6483174

Fax No : -

Dear Sir/Madam,

### **RMC Certification Licence**

Product : READY-MIXED CONCRETE  
Standard : CIS 21 : 2018 MS EN 206 : 2016

---

With regards to your request for new/renewal/changes of licence(s) under the SIRIM RMC Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMMAD FARHAN BIN MOHD RADHWAN  
Contact No : 6018-2474 310  
Email : mfarhan@sirim.my

Thank you.

*This is a computer generated document. No signature is required.*

## LESEN PENSIJILAN BARANGAN *RMC Certification Licence*



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada  
SIRIM QAS International Sdn. Bhd. hereby grants to**

**G-CAST CONCRETE SDN. BHD.  
LOT 647, JALAN KULAI KOTA TINGGI  
MUKIM ULU SUNGAI JOHOR  
81900 KOTA TINGGI  
JOHOR, MALAYSIA**



**Lesen untuk menggunakan Tanda Pensijilan di atas barangan  
a licence to use the Certification Mark on**

**READY-MIXED CONCRETE**

**Please refer to detail in the SCHEDULE**



**sebagai mematuhi keperluan  
as complying with**

**CIS 21 : 2018  
MS EN 206 : 2016**



**Ts. Md. Adha bin Katni @ Rahmat**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



# SCHEDULE

## G-CAST CONCRETE SDN. BHD.



SIRIM



Trade Mark : G-CAST  
Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S4)  
Rating : C32/40 (TREMIE)  
Type : 0.37 (MAX. W/C), 281 KG - OPC & 94 KG - PFA (MIN. CEMENT CONTENT)

Trade Mark : G-CAST  
Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S4)  
Rating : C32/40 (TREMIE)  
Type : 0.40 (MAX. W/C), 270 KG - OPC & 90 KG - PFA (MIN. CEMENT CONTENT)

Type : 1. PLANT: TYPE 1 - W (WET BATCHING PLANT); GCAST(K)-01-W-1. 2. CEMENT (CEM I) - YTL CEMENT MARKETING SDN. BHD., NS CEMENT INDUSTRIES SDN. BHD. & HUME CEMENT. 3. PULVERIZED FLY ASH - GREEN CEMENT SDN BHD. 4. AGGREGATE (20MM GRADED) - SOURCE: KULAI. 5. ADMIXTURE (HIGH RANGE SUPER-PLASTICISER) - ADVA CAST 3765GC. 6. WATER - SOURCE: SAJ RANHILL SDN BHD

---

*End of page*

---