

**SIRIM QAS INTERNATIONAL SDN. BHD.**

((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-014404
Licence No : PC005314

Date : 18/06/2026

G-CAST CONCRETE SDN. BHD.
A-1-3A, PUSAT PERDAGANGAN KUCHAI
NO. 2, JALAN 1/127, OFF JALAN KUCHAI LAMA
58200 KUALA LUMPUR
WILAYAH PERSEKUTUAN, MALAYSIA

Attn : MR. MOHD SYAWAL JAMALUDIN

Tel No : 012-2406788

Fax No : -

Dear Sir/Madam,

RMC Certification Licence

Product : READY-MIXED CONCRETE
Standard : CIS 21 : 2018 MS EN 206 : 2016

With regards to your request for new/renewal/changes of licence(s) under the SIRIM RMC Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMMAD FARHAN BIN MOHD RADHWAN
Contact No : 6018-2474 310
Email : mfarhan@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

RMC Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

G-CAST CONCRETE SDN. BHD.
A-1-3A, PUSAT PERDAGANGAN KUCHAI
NO. 2, JALAN 1/127, OFF JALAN KUCHAI LAMA
58200 KUALA LUMPUR
WILAYAH PERSEKUTUAN, MALAYSIA



Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

READY-MIXED CONCRETE

Please refer to detail in the SCHEDULE



sebagai mematuhi keperluan
as complying with

CIS 21 : 2018
MS EN 206 : 2016



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S2)
Rating : C16/20 (NORMAL)
Type : 0.60 (MAX. W/C), 229 KG – OPC & 61 KG – PFA (MIN. CEMENT CONTENT)



Trade Mark : G-CAST
Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S2)
Rating : C20/25 (NORMAL)
Type : 0.54 (MAX. W/C), 253 KG – OPC & 71 KG – PFA (MIN. CEMENT CONTENT)



Trade Mark : G-CAST
Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S2)
Rating : C25/30 (NORMAL)
Type : 0.49 (MAX. W/C), 276 KG – OPC & 82 KG – PFA (MIN. CEMENT CONTENT)

Trade Mark : G-CAST
Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S4)
Rating : C32/40 (NORMAL)
Type : 0.40 (MAX. W/C), 270 KG – OPC & 90 KG – PFA (MIN. CEMENT CONTENT)

Type : 1. PLANT: TYPE 1 - W (WET BATCHING PLANT): G-CAST(K)-06-W-1. 2. CEMENT (CEM I) - YTL CEMENT MARKETING SDN. BHD., NS CEMENT INDUSTRIES SDN. BHD. & HUME CEMENT 3. PULVERIZED FLY ASH - GREEN CEMENT SDN BHD 4. AGGREGATE (20MM GRADED) - SOURCE: MARAN 5. ADMIXTURE (HIGH RANGE SUPER-PLASTICISER) - DARATARD RWD 6. ADMIXTURE (HIGH RANGE SUPER-PLASTICISER) - ADVA CAST 3765GC 7. WATER – GROUND WATER. SOURCE: GEBENG

Factory Name and Location :
G-CAST CONCRETE SDN. BHD.
LOT 22993
MALAYSIA-CHINA Kuantan Industrial Park
Jalan Gebeng Bypass
26080 Kuantan
PAHANG, MALAYSIA

End of page