



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-014886
Licence No : PC005362

Date : 02/12/2025

G-CAST CONCRETE SDN. BHD.
LOT 89, MUKIM KOTA TINGGI
DAERAH KOTA TINGGI
81900 KOTA TINGGI
JOHOR, MALAYSIA

Attn : MR. MOHD SYAWAL JAMALUDIN

Tel No : 012-2406788

Fax No : -

Dear Sir/Madam,

RMC Certification Licence

Product : READY-MIXED CONCRETE
Standard : CIS 21 : 2018 MS EN 206 : 2016

With regards to your request for new/renewal/changes of licence(s) under the SIRIM RMC Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMMAD FARHAN BIN MOHD RADHWAN
Contact No : 6018-2474 310
Email : mfarhan@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN *RMC Certification Licence*



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**G-CAST CONCRETE SDN. BHD.
LOT 89, MUKIM KOTA TINGGI
DAERAH KOTA TINGGI
81900 KOTA TINGGI
JOHOR, MALAYSIA**



**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

READY-MIXED CONCRETE

Please refer to detail in the SCHEDULE



**sebagai mematuhi keperluan
as complying with**

**CIS 21 : 2018
MS EN 206 : 2016**



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

G-CAST CONCRETE SDN. BHD.



SIRIM

Trade Mark : G-CAST
 Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S1)
 Rating : C25/30 (NORMAL)
 Type : 0.41 (MAX. W/C), 288 KG - OPC & 72 KG - PFA (MIN. CEMENT CONTENT)



ACB 001

Trade Mark : G-CAST
 Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S1)
 Rating : C25/30 (NORMAL)
 Type : 0.38 (MAX. W/C), 274 KG - OPC & 91 KG - PFA (MIN. CEMENT CONTENT)



Trade Mark : G-CAST
 Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S4)
 Rating : C32/40 (TREMIE)
 Type : 0.40 (MAX. W/C), 270 KG - OPC & 90 KG - PFA (MIN. CEMENT CONTENT)

Trade Mark : G-CAST
 Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S4)
 Rating : C50/60 (TREMIE)
 Type : 0.31 (MAX. W/C), 345 KG - OPC & 115 KG - PFA (MIN. CEMENT CONTENT)

Trade Mark : G-CAST
 Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S4)
 Rating : C45/55 (TREMIE)
 Type : 0.32 (MAX. W/C), 364 KG - OPC & 91 KG - PFA (MIN. CEMENT CONTENT)

Trade Mark : G-CAST
 Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S1)
 Rating : C25/30 (NORMAL)
 Type : 0.40 (MAX. W/C), 256 KG - OPC & 110 KG - PFA (MIN. CEMENT CONTENT)

Trade Mark : G-CAST
 Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S1)
 Rating : C25/30 (NORMAL)
 Type : 0.37 (MAX. W/C), 256 KG - OPC & 110 KG - PFA (MIN. CEMENT CONTENT)

Trade Mark : G-CAST
 Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S4)
 Rating : C40/50 (TREMIE)
 Type : 0.36 (MAX. W/C), 300 KG – OPC & 100 KG – PFA (MIN. CEMENT CONTENT)

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 01 December 2020

Certified Since

Sah Sehingga : 01 December 2026

Valid Until

Tarikh Dikeluarkan : 02 December 2025

Issue Date

No Siri : 120350

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S4)
Rating : C32/40 (TREMIE)
Type : 0.40 (MAX. W/C), 360 KG – OPC (MIN. CEMENT CONTENT)



Trade Mark : G-CAST
Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S4)
Rating : C40/50 (TREMIE)
Type : 0.40 (MAX. W/C), 392 KG – OPC (MIN. CEMENT CONTENT)



Trade Mark : G-CAST
Model : DESIGNED CONCRETE (CONSISTENCE CLASS: S4)
Rating : C50/60 (TREMIE)
Type : 0.32 (MAX. W/C), 460 KG – OPC (MIN. CEMENT CONTENT)

Type : 1. PLANT: TYPE 1 - W (WET BATCHING PLANT); GCAST(KT)-01-W-1 & GCAST(KT)-01-W-2. 2. CEMENT (CEM I) - YTL MARKETING SDN. BHD., NS CEMENT INDUSTRIES SDN. BHD. & HUME CEMENT. 3. PULVERIZED FLY ASH (PFA) - GREEN CEMENT SDN. BHD. 4. AGGREGATE (10MM & 20MM GRADED) - SOURCE: KOTA TINGGI. 5. ADMIXTURE (HIGH RANGE SUPER-PLASTICISER) - ADVA CAST 3765GC. 6. WATER - SOURCE: SAJ RANHILL SDN. BHD.

End of page

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 01 December 2020

Certified Since

Sah Sehingga : 01 December 2026

Valid Until

Tarikh Dikeluarkan : 02 December 2025

Issue Date

No Siri : 120350

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.