



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-018519
Licence No : PC013305

Date : 31/07/2025

G-CAST CONCRETE SDN. BHD.
LOT 23030, SEKSYEN 20,
JLN KG. MOHD TAIB
KAW. INDUSTRI SG. CHOH
48000 RAWANG
SELANGOR, MALAYSIA

Attn : MR. MOHD SYAWAL JAMALUDIN

Tel No : 012-2406788

Fax No : -

Dear Sir/Madam,

Product Certification Licence

Product : PRECAST CONCRETE DRAINAGE UNITS
Standard : SIRIM 51 : 2022

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMMAD FARHAN BIN MOHD RADHWAN
Contact No : 6018-2474 310
Email : mfarhan@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

G-CAST CONCRETE SDN. BHD.
LOT 23030, SEKSYEN 20,
JLN KG. MOHD TAIB
KAW. INDUSTRI SG. CHOH
48000 RAWANG
SELANGOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

PRECAST CONCRETE DRAINAGE UNITS

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

SIRIM 51 : 2022



Ts. Md. Adha bin Katni @ Rahmat
Pemangku Ketua Pegawai Eksekutif
Acting Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Not Applicable; Load: 5kN/m²
 Type : Class: F5, Slope Angle: 0°
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400, 2400 x 2700, 2400 x 3000, 2400 x 3300, 2400 x 3600, 2550 x 2700, 2550 x 3000, 2550 x 3300, 2550 x 3600, 2700 x 2700, 2700 x 3000, 2700 x 3300, 2700 x 3600

Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Not Applicable; Load: 5kN/m²
 Type : Class: F5, Slope Angle: 0°
 Size : Nominal size (mm): 2850 x 3000, 2850 x 3300, 2850 x 3600, 3000 x 1500, 3000 x 3000, 3000 x 3300, 3000 x 3600, 3150 x 3300, 3150 x 3600, 3300 x 3300, 3300 x 3600, 3450 x 3600, 3600 x 3600

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 February 2024

Certified Since

Sah Sehingga : 14 February 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 31 July 2025

Issue Date

No Siri : 114460

Serial No

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Not Applicable; Load: 10kN/m²
 Type : Class: F10, Slope Angle: 0°
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400, 2400 x 2700, 2400 x 3000, 2400 x 3300, 2400 x 3600, 2550 x 2700, 2550 x 3000, 2550 x 3300, 2550 x 3600, 2700 x 2700, 2700 x 3000, 2700 x 3300, 2700 x 3600

Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Not Applicable; Load: 10kN/m²
 Type : Class: F10, Slope Angle: 0°
 Size : Nominal size (mm): 2850 x 3000, 2850 x 3300, 2850 x 3600, 3000 x 1500, 3000 x 3000, 3000 x 3300, 3000 x 3600, 3150 x 3300, 3150 x 3600, 3300 x 3300, 3300 x 3600, 3450 x 3600, 3600 x 3600

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : **14 February 2024**

Certified Since

Sah Sehingga : **14 February 2026**

Valid Until

Tarikh Dikeluarkan : **31 July 2025**

Issue Date

No Siri : 114460

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Not Applicable; Load: 20kN/m²
 Type : Class: F20, Slope Angle: 0°
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400, 2400 x 2700, 2400 x 3000, 2400 x 3300, 2400 x 3600, 2550 x 2700, 2550 x 3000, 2550 x 3300, 2550 x 3600, 2700 x 2700, 2700 x 3000, 2700 x 3300, 2700 x 3600

Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Not Applicable; Load: 20kN/m²
 Type : Class: F20, Slope Angle: 0°
 Size : Nominal size (mm): 2850 x 3000, 2850 x 3300, 2850 x 3600, 3000 x 1500, 3000 x 3000, 3000 x 3300, 3000 x 3600, 3150 x 3300, 3150 x 3600, 3300 x 3300, 3300 x 3600, 3450 x 3600, 3600 x 3600

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : **14 February 2024**

Certified Since

Sah Sehingga : **14 February 2026**

Valid Until

Tarikh Dikeluarkan : **31 July 2025**

Issue Date

No Siri : 114460

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: max. 0.6m; Load: 5kN/m²
 Type : Class: B5, Slope Angle: 0°
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400, 2400 x 2700, 2400 x 3000, 2400 x 3300, 2400 x 3600, 2550 x 2700, 2550 x 3000, 2550 x 3300, 2550 x 3600, 2700 x 2700, 2700 x 3000, 2700 x 3300, 2700 x 3600

Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: max. 0.6m; Load: 5kN/m²
 Type : Class: B5, Slope Angle: 0°
 Size : Nominal size (mm): 2850 x 3000, 2850 x 3300, 2850 x 3600, 3000 x 1500, 3000 x 3000, 3000 x 3300, 3000 x 3600, 3150 x 3300, 3150 x 3600, 3300 x 3300, 3300 x 3600, 3450 x 3600, 3600 x 3600

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 14 February 2024

Certified Since

Sah Sehingga : 14 February 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 31 July 2025

Issue Date

No Siri : 114460

Serial No

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: max. 0.6m; Load: 10kN/m²
 Type : Class: B10, Slope Angle: 0°
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400, 2400 x 2700, 2400 x 3000, 2400 x 3300, 2400 x 3600, 2550 x 2700, 2550 x 3000, 2550 x 3300, 2550 x 3600, 2700 x 2700, 2700 x 3000, 2700 x 3300, 2700 x 3600

Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: max. 0.6m; Load: 10kN/m²
 Type : Class: B10, Slope Angle: 0°
 Size : Nominal size (mm): 2850 x 3000, 2850 x 3300, 2850 x 3600, 3000 x 1500, 3000 x 3000, 3000 x 3300, 3000 x 3600, 3150 x 3300, 3150 x 3600, 3300 x 3300, 3300 x 3600, 3450 x 3600, 3600 x 3600

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 14 February 2024

Certified Since

Sah Sehingga : 14 February 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 31 July 2025

Issue Date

No Siri : 114460

Serial No

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: max. 0.6m; Load: 20kN/m²
 Type : Class: B20, Slope Angle: 0°
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400, 2400 x 2700, 2400 x 3000, 2400 x 3300, 2400 x 3600, 2550 x 2700, 2550 x 3000, 2550 x 3300, 2550 x 3600, 2700 x 2700, 2700 x 3000, 2700 x 3300, 2700 x 3600

Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: max. 0.6m; Load: 20kN/m²
 Type : Class: B20, Slope Angle: 0°
 Size : Nominal size (mm): 2850 x 3000, 2850 x 3300, 2850 x 3600, 3000 x 1500, 3000 x 3000, 3000 x 3300, 3000 x 3600, 3150 x 3300, 3150 x 3600, 3300 x 3300, 3300 x 3600, 3450 x 3600, 3600 x 3600

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : **14 February 2024**

Certified Since

Sah Sehingga : **14 February 2026**

Valid Until

Tarikh Dikeluarkan : **31 July 2025**

Issue Date

No Siri : 114460

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Infinite Slope; Load: 5kN/m²
 Type : Class: G5-1, Slope Angle: 27° (1 in 2)
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400, 2400 x 2700, 2400 x 3000, 2400 x 3300, 2400 x 3600, 2550 x 2700, 2550 x 3000, 2550 x 3300, 2550 x 3600, 2700 x 2700, 2700 x 3000, 2700 x 3300, 2700 x 3600

Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Infinite Slope; Load: 5kN/m²
 Type : Class: G5-1, Slope Angle: 27° (1 in 2)
 Size : Nominal size (mm): 2850 x 3000, 2850 x 3300, 2850 x 3600, 3000 x 1500, 3000 x 3000, 3000 x 3300, 3000 x 3600, 3150 x 3300, 3150 x 3600, 3300 x 3300, 3300 x 3600, 3450 x 3600, 3600 x 3600

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 14 February 2024

Certified Since

Sah Sehingga : 14 February 2026

Valid Until

Tarikh Dikeluarkan : 31 July 2025

Issue Date

No Siri : 114460

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Infinite Slope; Load: 5kN/m²
 Type : Class: G5-2, Slope Angle: 34° (1 in 1.5)
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400, 2400 x 2700, 2400 x 3000, 2400 x 3300, 2400 x 3600, 2550 x 2700, 2550 x 3000, 2550 x 3300, 2550 x 3600, 2700 x 2700, 2700 x 3000, 2700 x 3300, 2700 x 3600

Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Infinite Slope; Load: 5kN/m²
 Type : Class: G5-2, Slope Angle: 34° (1 in 1.5)
 Size : Nominal size (mm): 2850 x 3000, 2850 x 3300, 2850 x 3600, 3000 x 1500, 3000 x 3000, 3000 x 3300, 3000 x 3600, 3150 x 3300, 3150 x 3600, 3300 x 3300, 3300 x 3600, 3450 x 3600, 3600 x 3600

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : **14 February 2024**

Certified Since

Sah Sehingga : **14 February 2026**

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : **31 July 2025**

Issue Date

No Siri : 114460

Serial No

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Infinite Slope; Load: 5kN/m²
 Type : Class: G5-3, Slope Angle: 45° (1 in 1)
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400, 2400 x 2700, 2400 x 3000, 2400 x 3300, 2400 x 3600, 2550 x 2700, 2550 x 3000, 2550 x 3300, 2550 x 3600, 2700 x 2700, 2700 x 3000, 2700 x 3300, 2700 x 3600

Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Infinite Slope; Load: 5kN/m²
 Type : Class: G5-3, Slope Angle: 45° (1 in 1)
 Size : Nominal size (mm): 2850 x 3000, 2850 x 3300, 2850 x 3600, 3000 x 1500, 3000 x 3000, 3000 x 3300, 3000 x 3600, 3150 x 3300, 3150 x 3600, 3300 x 3300, 3300 x 3600, 3450 x 3600, 3600 x 3600

End of page

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 14 February 2024

Certified Since

Sah Sehingga : 14 February 2026

Valid Until

Tarikh Dikeluarkan : 31 July 2025

Issue Date

No Siri : 114460

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.