



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-018517
Licence No : PC013562

Date : 26/03/2025

G-CAST CONCRETE SDN. BHD.
A-1-3A, PUSAT PERDAGANGAN KUCHAI
NO. 2, JALAN 1/127, OFF JALAN KUCHAI LAMA
58200 KUALA LUMPUR
WILAYAH PERSEKUTUAN, MALAYSIA

Attn : MS HEMALATHA GUNALAN

Tel No : 012-3781522

Fax No : -

Dear Sir/Madam,

Product Certification Licence

Product : PRECAST CONCRETE DRAINAGE UNITS
Standard : SIRIM 51 : 2022

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : WAN AHMAD JAILANI WAN MAHMUD
Contact No : 6019-3617266
Email : jailani@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**G-CAST CONCRETE SDN. BHD.
A-1-3A, PUSAT PERDAGANGAN KUCHAI
NO. 2, JALAN 1/127, OFF JALAN KUCHAI LAMA
58200 KUALA LUMPUR
WILAYAH PERSEKUTUAN, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

PRECAST CONCRETE DRAINAGE UNITS

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

SIRIM 51 : 2022



Ts. Md. Adha bin Katni @ Rahmat
Pemangku Ketua Pegawai Eksekutif
Acting Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Not Applicable; Load: 5kN/m²
 Type : Class: F5, Slope Angle: 0°
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

Trade Mark : G-CAST
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
 Rating : Surcharge: Not Applicable; Load: 10kN/m²
 Type : Class: F10, Slope Angle: 0°
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 01 May 2024

Certified Since

Sah Sehingga : 01 May 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 26 March 2025

Issue Date

No Siri : 109523

Serial No

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: Not Applicable; Load: 20kN/m ²
Type	: Class: F20, Slope Angle: 0°
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: max. 0.6m; Load: 5kN/m ²
Type	: Class: B5, Slope Angle: 0°
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 01 May 2024

Certified Since

Sah Sehingga : 01 May 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 26 March 2025

Issue Date

No Siri : 109523

Serial No

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: max. 0.6m; Load: 10kN/m ²
Type	: Class: B10, Slope Angle: 0°
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: max. 0.6m; Load: 20kN/m ²
Type	: Class: B20, Slope Angle: 0°
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 01 May 2024

Certified Since

Sah Sehingga : 01 May 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 26 March 2025

Issue Date

No Siri : 109523

Serial No

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: Infinite Slope; Load: 5kN/m ²
Type	: Class: G5-1, Slope Angle: 27° (1 in 2)
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: Infinite Slope; Load: 5kN/m ²
Type	: Class: G5-2, Slope Angle: 34° (1 in 1.5)
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 01 May 2024

Certified Since

Sah Sehingga : 01 May 2026

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 26 March 2025

Issue Date

No Siri : 109523

Serial No

SCHEDULE

G-CAST CONCRETE SDN. BHD.



Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: Infinite Slope; Load: 5kN/m ²
Type	: Class: G5-3, Slope Angle: 45° (1 in 1)
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

Factory Name and Location :
G-CAST CONCRETE SDN. BHD.
LOT 12448-12473
KAWASAN PERINDUSTRIAN BIDOR
MUKIM BIDOR DAERAH BATANG PADANG
35500 BIDOR
PERAK, MALAYSIA

End of page