



## SIRIM QAS INTERNATIONAL SDN. BHD.

((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-018517  
Licence No : PC013562

Date : 06/05/2026

G-CAST CONCRETE SDN. BHD.  
A-1-3A, PUSAT PERDAGANGAN KUCHAI  
NO. 2, JALAN 1/127, OFF JALAN KUCHAI LAMA  
58200 KUALA LUMPUR  
WILAYAH PERSEKUTUAN, MALAYSIA

Attn : SOMAYE HEIDARINIK

Tel No : 012-3781522

Fax No : -

Dear Sir/Madam,

### **Product Certification Licence**

Product : PRECAST CONCRETE DRAINAGE UNITS  
Standard : SIRIM 51 : 2022

---

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMMAD FARHAN BIN MOHD RADHWAN  
Contact No : 6018-2474 310  
Email : mfarhan@sirim.my

Thank you.

*This is a computer generated document. No signature is required.*

# LESEN PENSIJILAN BARANGAN

## *Product Certification Licence*



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada**  
*SIRIM QAS International Sdn. Bhd. hereby grants to*

**G-CAST CONCRETE SDN. BHD.  
A-1-3A, PUSAT PERDAGANGAN KUCHAI  
NO. 2, JALAN 1/127, OFF JALAN KUCHAI LAMA  
58200 KUALA LUMPUR  
WILAYAH PERSEKUTUAN, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan**  
*a licence to use the Certification Mark on*

**PRECAST CONCRETE DRAINAGE UNITS**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan**  
*as complying with*

**SIRIM 51 : 2022**



**Ts. Md. Adha bin Katni @ Rahmat**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



# SCHEDULE

## G-CAST CONCRETE SDN. BHD.



Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: Not Applicable; Load: 5kN/m <sup>2</sup>
Type	: Class: F5, Slope Angle: 0°
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: Not Applicable; Load: 10kN/m <sup>2</sup>
Type	: Class: F10, Slope Angle: 0°
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

SIRIM QAS International Sdn. Bhd.  
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 603-5544 6000  
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my  
https://www.malysiancertified.com.my

**Tarikh Mula Pensijilan** : 01 May 2024

*Certified Since*

**Sah Sehingga** : 01 May 2027

*Valid Until*

**Tarikh Dikeluarkan** : 06 May 2026

*Issue Date*

**No Siri** : 126902

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*

# SCHEDULE

## G-CAST CONCRETE SDN. BHD.



Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: Not Applicable; Load: 20kN/m <sup>2</sup>
Type	: Class: F20, Slope Angle: 0°
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: max. 0.6m; Load: 5kN/m <sup>2</sup>
Type	: Class: B5, Slope Angle: 0°
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

SIRIM QAS International Sdn. Bhd.  
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 603-5544 6000  
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my  
https://www.malysiancertified.com.my

Tarikh Mula Pensijilan : **01 May 2024**

Certified Since

Sah Sehingga : **01 May 2027**

Valid Until

Tarikh Dikeluarkan : **06 May 2026**

Issue Date

No Siri : 126902

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## G-CAST CONCRETE SDN. BHD.



Trade Mark : G-CAST  
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)  
 Rating : Surcharge: max. 0.6m; Load: 10kN/m<sup>2</sup>  
 Type : Class: B10, Slope Angle: 0°  
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

Trade Mark : G-CAST  
 Model : U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)  
 Rating : Surcharge: max. 0.6m; Load: 20kN/m<sup>2</sup>  
 Type : Class: B20, Slope Angle: 0°  
 Size : Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

SIRIM QAS International Sdn. Bhd.  
 ((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

www.sirim-qas.com.my  
 https://www.malysiancertified.com.my

Tarikh Mula Pensijilan : **01 May 2024**

Certified Since

Sah Sehingga : **01 May 2027**

Valid Until

Tarikh Dikeluarkan : **06 May 2026**

Issue Date

No Siri : 126902

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## G-CAST CONCRETE SDN. BHD.



Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: Infinite Slope; Load: 5kN/m <sup>2</sup>
Type	: Class: G5-1, Slope Angle: 27° (1 in 2)
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: Infinite Slope; Load: 5kN/m <sup>2</sup>
Type	: Class: G5-2, Slope Angle: 34° (1 in 1.5)
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

SIRIM QAS International Sdn. Bhd.  
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 603-5544 6000  
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my  
https://www.malysiancertified.com.my

Tarikh Mula Pensijilan : **01 May 2024**

Certified Since

Sah Sehingga : **01 May 2027**

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : **06 May 2026**

Issue Date

No Siri : 126902

Serial No

# SCHEDULE

## G-CAST CONCRETE SDN. BHD.



Trade Mark	: G-CAST
Model	: U-SHAPE DRAIN WITH/WITHOUT DRY WEATHER FLOW (DWF)
Rating	: Surcharge: Infinite Slope; Load: 5kN/m <sup>2</sup>
Type	: Class: G5-3, Slope Angle: 45° (1 in 1)
Size	: Nominal size (mm): 300 x 300, 300 x 450, 300 x 600, 300 x 1200, 450 x 300, 450 x 450, 450 x 600, 450 x 750, 450 x 900, 450 x 1200, 500 x 300, 600 x 300, 600 x 450, 600 x 600, 600 x 750, 600 x 900, 600 x 1200, 600 x 1500, 600 x 1800, 750 x 450, 750 x 600, 750 x 750, 750 x 900, 750 x 1200, 750 x 1500, 800 x 1500, 900 x 450, 900 x 600, 900 x 750, 900 x 900, 900 x 1200, 900 x 1500, 900 x 1800, 900 x 2100, 1000 x 600, 1000 x 750, 1000 x 900, 1050 x 600, 1050 x 750, 1050 x 900, 1050 x 1200, 1050 x 1500, 1050 x 1800, 1050 x 2100, 1050 x 3000, 1200 x 600, 1200 x 750, 1200 x 900, 1200 x 1200, 1200 x 1500, 1200 x 1800, 1200 x 2100, 1200 x 2400, 1200 x 3000, 1350 x 900, 1350 x 1200, 1350 x 1500, 1350 x 1800, 1350 x 2100, 1350 x 2400, 1350 x 2700, 1400 x 900, 1500 x 600, 1500 x 900, 1500 x 1200, 1500 x 1500, 1500 x 1800, 1500 x 2100, 1500 x 2400, 1500 x 2700, 1500 x 3000, 1500 x 3600, 1650 x 1800, 1650 x 2100, 1650 x 2400, 1650 x 2700, 1650 x 3000, 1650 x 3300, 1800 x 900, 1800 x 1800, 1800 x 2100, 1800 x 2400, 1800 x 2700, 1800 x 3000, 1800 x 3300, 1800 x 3600, 1900 x 1800, 1950 x 2100, 1950 x 2400, 1950 x 2700, 1950 x 3000, 1950 x 3300, 1950 x 3600, 2000 x 3300, 2100 x 2100, 2100 x 2400, 2100 x 2700, 2100 x 3000, 2100 x 3300, 2100 x 3600, 2250 x 2400, 2250 x 2700, 2250 x 3000, 2250 x 3300, 2250 x 3600, 2400 x 2400

**Factory Name and Location :**  
**G-CAST CONCRETE SDN. BHD.**  
**LOT 12448-12473**  
**KAWASAN PERINDUSTRIAN BIDOR**  
**MUKIM BIDOR DAERAH BATANG PADANG**  
**35500 BIDOR**  
**PERAK, MALAYSIA**

*End of page*

SIRIM QAS International Sdn. Bhd.  
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 603-5544 6000  
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my  
https://www.malaysiancertified.com.my

**Tarikh Mula Pensijilan : 01 May 2024**

*Certified Since*

**Sah Sehingga : 01 May 2027**

*Valid Until*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*

**Tarikh Dikeluarkan : 06 May 2026**

*Issue Date*

**No Siri : 126902**

*Serial No*